

10/018932

#3

531 Rec'd PCT 19 DEC 2001

UNITED STATES PATENT AND TRADEMARK OFFICE

Examiner: Group: Attorney Docket # 1788

Applicant(s) : BOECKING, F.

Serial No. :

Filed :

For : PIEZOELECTRIC ACTUATOR

**INFORMATION DISCLOSURE STATEMENT**

December 19, 2001

Honorable Commissioner of Patents  
and Trademarks  
Washington, D.C. 20231

SIRS:

- In accordance with the Duty of Disclosure, Applicant(s) submit(s) herewith a copy of a Foreign Search Report in a counterpart application and copies of the reference(s) indicated therein.
- In the event that the Foreign Search Report is in a foreign language, a translation thereof is herewith submitted.
- Attached hereto is a FORM PTO 1449 listing the references.
- Attached hereto is a copy of a reference cited in the specification of the application as filed. The specification itself recites the relevance of these documents.
- Applicant petitions for consideration of this Information Disclosure Statement since it is being submitted after receipt of an office action and submits herewith the required fee. If this fee is missing or insufficient, then authorization is given to debit the account of the undersigned: 19-4675.

10/018932  
531 Rec'd PCT. 19 DEC 2001

page 2 of 2

- Attached hereto are copies of references cited which may be pertinent to this application. Since the references are in the English language, no statement of relevance is submitted.
- Attached hereto is a copy of the Office Action issued in the corresponding German application, together with a translation thereof and copies of the references cited therein. A list of the cited references is also attached.
- Attached hereto copies of references cited which may be pertinent to this application. An English translation of the references is also attached.
- Attached hereto is a Statement of Relevancy and copies of references cited therein.
- These references were sent to the USPTO by WIPO and are in the file of this application.

Respectfully submitted,

  
Michael J. Striker  
Attorney for Applicant(s)  
Reg. No. 27233

1 Acknowledgements of the publications cited in the parallel German  
2 examination procedure within the scope of duty of disclosure:

3

4 A piezoelectric actuator in the form of a monolithic multilayer actuator is made  
5 known in EP 0 844 678 A1. This piezoelectric actuator is composed of a  
6 multilayer structure of piezoelectric plies and internal electrodes arranged  
7 between them. The latter are integrated in the ply structure in the manner of a  
8 comb and are contacted in alternate directions with external electrodes in the  
9 direction of the ply structure, which external electrodes are arranged laterally on  
10 the piezoelectric actuator. In order to prevent voltage spark-overs that could lead  
11 to a destruction of the piezoelectric actuator, the internal electrodes are not  
12 extended completely to the opposite side of the piezoelectric actuator. As a  
13 result, a neutral phase without internal electrodes occurs in a region between two  
14 piezoelectric plies that has an internal electrode contacted on the opposite side in  
15 each case.

16

17 When the piezoelectric actuator is actuated, i.e., when an electrical voltage is  
18 applied to the external electrodes, a mechanical reaction occurs due to the  
19 generally known piezoelectric effect. This depends on the crystal structure of the  
20 piezoelectric plies and the application regions of the electrical voltage, and  
21 represents a push or pull in a specifiable direction. Mechanical stresses can  
22 thereby occur in the ply structure of the piezoelectric actuator which can trigger  
23 undesired crack formations, particularly in the region of the neutral phase.

24

25 Moreover, a further design of a multilayer actuator is disclosed in JP 63-80 585  
26 A. In this multilayer actuator, a plurality of layers composed of ceramic material is  
27 stacked and comprises continuous internal electrodes between each of them.  
28 These are contacted in alternating fashion with external electrodes facing each  
29 other. The latter are composed of two layers, a conductive glass layer and a  
30 nickel layer applied to it in currentless fashion. The adhesion of the nickel layer is  
31 improved considerably with aid from the glass layer. Insulation means are

1 provided on one end of the internal electrodes to insulate the internal electrode  
2 against the external electrode not to be contacted. As a disadvantage, the  
3 formation of the insulation means on the multilayer actuator is relatively costly  
4 and makes its manufacture more expensive. In contrast to the subject of the  
5 invention, all internal electrodes are designed to be continuous, so that this  
6 multilayer actuator does not have a neutral phase.

October 30, 2001

DECLARATION

The undersigned, Dana Scruggs, having an office at 7970 Sunset Cove Drive, Indianapolis, Indiana 46236, hereby states that she is well acquainted with both the English and German languages and that the attached is a true translation to the best of her knowledge and ability of the PCT/DE 00/01629 of BOECKING, F., entitled "Piezoelectric Actuator".

The undersigned further declares that the above statement is true; and further, that this statement was made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or document or any patent resulting therefrom.

  
Dana Scruggs